

PD9000U06W

Patented Product




Power Divider/Combiner

4-Way 0° 50Ω DC-18GHz



Features

- Ultra-Wide Bandwidth, DC to 18 GHz
- Small Size, 5x5 mm
- Aqueous Washable
- Good Repeatability
- High ESD level*
- Operating Temperature -55°C~105°C
- Power handling
 - 3.1 Watts as a divider/combiner
 - Measurements performed with one port energized and other ports terminated



Applications

- WIMAX
- ISM
- Instrumentation
- Radar
- WLAN
- Satellite communications
- LTE

Notes:

1. This part has passed through 100% RF test.

* ESD rating

Human Body Model (HBM): Class 2 (Pass 2000V) in accordance with ANSI/ESD STM 5.1 - 2001

Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China

Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.2

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

PD9000U06W

Patented Product

Power Divider/Combiner

4-Way 0° 50Ω DC-18GHz



Electrical Specifications at 25° C

Parameter	Frequency (GHz)	Min.	Typ.	Max.	Unit
Frequency Range		DC		18	GHz
Insertion Loss Above 6.0 dB	DC-4	/	4.2	4.5	dB
	4-18	/	3.4	4.5	
Isolation	DC-4	11	12.5	/	dB
	4-18	16	22.5	/	
Phase Unbalance	DC-4	/	1.0	3	Degree
	4-18	/	5.9	9.6	
Amplitude Unbalance	DC-4	/	0.1	0.6	dB
	4-18	/	0.2	1.2	
VSWR (Port S)	DC-4	/	1.8	/	:1
	4-18	/	1.5	/	
VSWR (Port 1-4)	DC-4	/	1.6	/	:1
	4-18	/	1.4	/	
Power Handling	As a Splitter	DC-4	/	/	W
	Per Port as a Combiner	4-18	/	/	

Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China

Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.2




For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

PD9000U06W

Patented Product

Power Divider/Combiner

4-Way 0° 50Ω DC-18GHz



Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China

Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.2

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com

PD9000U06W

Patented Product


Power Divider/Combiner

4-Way 0° 50Ω DC-18GHz




Outline Drawing


units:mm



TOP VIEW




BOTTOM VIEW




SIDE VIEW

Land Pattern



NOTE:

1. 50Ω line width is shown above designing from RO4350B dielectric thickness 0.254mm; copper 1/2 OZ
2. Bottom side of the PCB is continuous ground plane.
3. All dimensions shown in mm.



TOP VIEW

Notes:

1. Require to add Capacitors of DC Blocker between Pins(with black color) and external circuit to prevent DC signal entry to guarantee parts normal work.
2. This part has passed through 100% RF test.

Pin #	Connection
1	GND
2	GND
3	GND
4	GND
5	GND
6	GND
7	GND
8	GND
9	GND
10	OUT
11	GND
12	GND

Pin #	Connection
13	GND
14	OUT
15	GND
16	GND
17	GND
18	GND
19	GND
20	GND
21	IN
22	GND
23	GND
24	GND

Pin #	Connection
25	GND
26	GND
27	OUT
28	GND
29	GND
30	GND
31	OUT
32	GND
Center Pad	GND

Yantel Corporation

Add: 3F, Building 3, Southern District 2 of Zhongguan Honghualing Industrial Park, Xili, Nanshan, Shenzhen, China

Tel: 86-755-8355-1886 Fax: 86-755-8355-2533

Rev A1.2

For detailed performance specs & shopping online see Yantel web site : www.yantel-corp.com